



TS **TRAMEC** **SLOAN**



ORDERING INFORMATION

PHONE: 616.395.5600

TOLL FREE PHONE: 800.336.7778

TOLL FREE FAX: 877.286.6515

EMAIL: customerservice@tramecsloan.com

MAIL: TRAMEC SLOAN LLC
Attn: Customer Service Department
534 East 48th St. Holland, MI 49423

DISCLAIMER

The data listed herein is correct to the best of Tramec Sloan LLC knowledge and belief, having been compiled from reliable and official sources of information. However, TRAMEC SLOAN LLC CANNOT ASSUME ANY RESPONSIBILITY for possible error or misapplication of the product. Final determination of the suitability of the products for the use contemplated by the Buyer is the sole responsibility of the Buyer. Tramec Sloan LLC shall have no responsibility in connection with this suitability. All manufacturer's names, numbers, symbols and descriptions are used for reference purposes only and it is not implied that any part listed is the product of these manufacturers.

Table of Contents

Part Number Index.....2

Suspension Components

Bushings.....3
Equalizer Kits.....4
Bolts & Pins.....5-7
Motor Mounts.....10-11
U-Bolts.....18-21
End Threaded Rod With Center Line.....22
Spring Center Bolt, High Head.....23
Spring Center Bolt.....24

Cross Reference.....25-32

Abbreviations









A.....Height
D.....Diameter
DB.....Holes Diameter
DE.....Outlet Diameter
DE.....Intake Diameter (Rubber Hoses & Elbows)
DI.....Inside Diameter
DS.....Outlet Diameter (Rubber Hoses & Elbows)
HD.....Hardness
L.....Length
LB.....Length Between Holes
LC.....Outer Sleeve Length




Part Number Index

Part Number	Page Number	Part Number	Page Number	Part Number	Page Number	Part Number	Page Number	Part Number	Page Number
TCA060600	23	TR104800G8CL	22	TS5161-14B	21	TS8161-18B	21	TS9628	14
TCA060800	23	TR121200G8CL	22	TS5161-16	20	TS8161-122	20	TS10267	14
TCA061000	23	TR121400G8CL	22	TS5161-16B	21	TS8161-122B	21	TS10730A	6
TCA070600	23	TR121600G8CL	22	TS5161-18	20	TS8163-14	20	TS10754	16
TCA070800	23	TR121800G8CL	22	TS5161-18B	21	TS8163-14B	21	TS10755	16
TCA071000	23	TR122000G8CL	22	TS5163-14	20	TS8164-10	20	TS11853	8
TCA080600	23	TR122200GBCL	22	TS5163-14B	21	TS8164-10B	21	TS82586-154	18
TCA080800	23	TR122600G8CL	22	TS5165-12	20	TS8164-16	20	TS82586-154B	18
TCA081000	23	TR123200G8CL	22	TS5165-12B	21	TS8164-16B	21	TS88394-162S	19
TCA090600	23	TR123400G8CL	22	TS5165-14	20	TS8165-12	20	TS88394-162SB	19
TCA090800	23	TR123600G8CL	22	TS5165-14B	21	TS8165-12B	21	TX17023RH	15
TCA091000	23	TR123800G8CL	22	TS5165-15	20	TS8165-14	20	TX200447691P	3
TCA091200	23	TR124000G8CL	22	TS5165-15B	21	TS8165-14B	21	TXGSB050900	17
TCCA-081200	23	TR124200G8CL	22	TS5165-16	20	TS8165-16	20	TXGSK0011	4
TCN050300	24	TR124400G8CL	22	TS5165-16B	21	TS8165-16B	21	TXGSK0034	5
TCN050308	24	TR141800G8CL	22	TS5165-18	20	TS8168-082	20	TXGSK0036	5
TCN050400	24	TR142000G8CL	22	TS5165-18B	21	TS8168-082B	21	TXGSK0060	5
TCN050500	24	TR142200G8CL	22	TS5269	3	TS8175-104	20	TXJM09SCB260B	7
TCN050600	24	TR142400G8CL	22	TS5270	4	TS8175-104B	21	TXJM095295	7
TCN050800	24	TR142600G8CL	22	TS5272	6	TS8178-126	20	TXJM095296	7
TCN060400	24	TR142800G8CL	22	TS5275	3	TS8178-126B	21	TXPBC1001	7
TCN060500	24	TR143000G8CL	22	TS6035	6	TS8187-154	20	TXPBC1004	7
TCN060600	24	TR143200G8CL	22	TS6121	4	TS8187-154B	21	TXPBC1005	8
TCN060700	24	TR143400G8CL	22	TS7431	10	TS8253-05	18	TXPBC1007	8
TCN060800	24	TR143600G8CL	22	TS7452	10	TS8253-05B	18	TXPBC1061	8
TCN061000	24	TR143800G8CL	22	TS7467	7	TS8254-10	18	TXPBC1069	8
TCN061200	24	TR144000G8CL	22	TS7471	8	TS8254-10B	18	TXPBC1769P	8
TCN070400	24	TR144200G8CL	22	TS7532	4	TS8255-05	18	TXPBC17002P	8
TCN070500	24	TR144800G8CL	22	TS7571	14	TS8255-05B	18	TXPBC63274K	9
TCN070600	24	TR145400G8CL	22	TS7621	10	TS8267-153	18	TXPBC63274P	9
TCN070700	24	TR162800G8CL	22	TS7639	3	TS8267-153B	18	TXPBC503359C1	9
TCN070800	24	TR163000G8CL	22	TS7700	13	TS8286-134	18	TXPBC516070P	9
TCN071000	24	TR163200G8CL	22	TS7702	13	TS8286-134B	18	TXPBC681890	9
TCN071200	24	TR163600G8CL	22	TS7918	4	TS8287-11	18	TXPBC681891	9
TCN080400	24	TS934	10	TS8145-076	20	TS8287-11B	18	TXPBM20008	10
TCN080500	24	TS1018	7	TS8145-076B	21	TS8287-14	18	TXPBM20080	11
TCN080600	24	TS1019	7	TS8151-10	20	TS8287-14B	18	TXPBM20082	11
TCN080700	24	TS1819	6	TS8151-10B	21	TS8353-15	19	TXPBM20084	11
TCN080800	24	TS1830	6	TS8151-12	20	TS8353-15B	19	TXPBM20085P	11
TCN081000	24	TS1854	16	TS8151-12B	21	TS8354-10	19	TXPBM20091	12
TCN081200	24	TS1855	5	TS8151-14	20	TS8354-10B	19	TXPBM20098	11
TCN100800	24	TS1856	5	TS8151-14B	21	TS8362-19F	19	TXPBM20065017	10
TCN101000	24	TS1980	9	TS8151-16	20	TS8362-19FB	19	TXPBM20066377	10
TCN101200	24	TS1999A	9	TS8151-16B	21	TS8363-15N	19	TXPBM20066377P	11
TR081400G5CL	23	TS2225	3	TS8151-18	20	TS8363-15NB	19	TXPBM20066421	11
TR081600G5CL	23	TS2226	3	TS8151-18B	21	TS8375-154	19	TXPBM20066421P	11
TR081800G5CL	23	TS2228	3	TS8154-10	20	TS8375-154B	19	TXPBR51	12
TR082000G5CL	23	TS2570	5	TS8154-10B	21	TS8394-18	19	TXPBR53	12
TR082200G5CL	23	TS2634	14	TS8154-12	20	TS8394-18B	19	TXPHM7BRNK	17
TR082400G5CL	23	TS2781A	4	TS8154-12B	21	TS8394-192S	19	TXPHM12481	13
TR083000G5CL	23	TS2889	5	TS8155-073	20	TS8394-192SB	19	TXPHM13221	13
TR091400G5CL	23	TS2908	17	TS8155-073B	21	TS8666	10	TXPHM14022	13
TR091600G5CL	23	TS2909	16	TS8161-10	20	TS8796	6	TXPHM14031	14
TR092000G5CL	23	TS2913A	17	TS8161-10B	21	TS8800	6	TXPHM14040	14
TR092200G5CL	23	TS2914	16	TS8161-11	20	TS8801	14	TXPHM14058	14
TR102400G8CL	22	TS3539	13	TS8161-11B	21	TS8802	12	TXPHM17021LH	15
TR102600G8CL	22	TS3740	12	TS8161-12	20	TS8803	12	TXPHM17021RH	15
TR102800G8CL	22	TS3741	12	TS8161-12B	21	TS8804	3	TXPHM17023LH	15
TR103000G8CL	22	TS3761	6	TS8161-13	20	TS8918	12	TXPHM17024	15
TR103200G8CL	22	TS3917A	13	TS8161-13B	21	TS9390	16	TXPHM17025	15
TR103400G8CL	22	TS5161-12	20	TS8161-14	20	TS9430	5	TXPHM17031	15
TR103600G8CL	22	TS5161-12B	21	TS8161-14B	21	TS9471	4	TXPHM17041A	15
TR103800G8CL	22	TS5161-13	20	TS8161-15	20	TS9476	16	TXPHM17045	16
TR104000G8CL	22	TS5161-13B	21	TS8161-15B	21	TS9477	13		
TR104200G8CL	22	TS5161-14	20	TS8161-18	20	TS9567	4		

Suspension Components



















<p style="text-align: center;">TS8804</p> <p>Rubber Leaf Spring Bushing</p>  <p>Specifications D = 2 1/2" DB = 51/64" LB = 5 11/16" L = 7 1/2"</p> <p>Cross Reference ATRO - UB20500 Automann - MR656 Dayton - RB-205 Euclid - E-8804 GAFF - 11005</p> <p>Application Freightliner O.E.M. 681-325-01-50, RB-205, 681-325-02-50</p>	<p style="text-align: center;">TS2225</p> <p>Rubber Torque Rod Bushing</p>  <p>Specifications D = 2 17/32" DB = 21/32" LB = 4 3/8"</p> <p>Cross Reference ATRO - TS34000 Automann - TRB6164 Dayton - 321-131 Euclid - E-2225 GAFF - 13522</p> <p>Application Hendrickson 380/440, Kenworth Glide Ride, Peterbilt Air Leaf, Volvo Air Ride, Mack ST34, International/Navistar 8100/9200 O.E.M. 44694</p>
<p style="text-align: center;">TS2226</p> <p>Rubber Torque Rod Bushing</p>  <p>Specifications D = 2 3/4" DB = 21/32" LB = 4 3/8"</p> <p>Cross Reference ATRO - TS38000 Automann - TRB6820 Dayton - 321-132 Euclid - E-2226 GAFF - 13520</p> <p>Application Hendrickson HA, Has Air Suspensions, Kenworth Air Glide 100, Big Six, Mack Camelback, International/Navistar 8100/9200 O.E.M. 227720, 44695</p>	<p style="text-align: center;">TS7639</p> <p>Urethane Torque Rod Bushing</p>  <p>Specifications D = 2 3/4" LB = 4 3/8" DB = 21/32" HD = 80</p> <p>Cross Reference ATRO - TS38000 Automann - TRB6820 Dayton - 321-132U Euclid - E-7639 GAFF - 13520</p> <p>Application Hendrickson HA, Has Air Suspensions, Kenworth Air Glide 100, Big Six, Mack Camelback, International/Navistar 8100/9200 O.E.M. 227720, 44695</p>
<p style="text-align: center;">TS2228</p> <p>Rubber Torque Rod Bushing</p>  <p>Specifications D = 2 3/4" L = 8 1/32" Threaded = 1 1/4" 12 NF Bolt Grade 5</p> <p>Cross Reference ATRO - TT38000 Automann - TRB6112 Dayton - 321-133 Euclid - E-2228 GAFF - 13518</p> <p>Application Hendrickson O.E.M. 44697</p>	<p style="text-align: center;">TS5275</p> <p>Rubber Torque Rod Bushing 2"</p>  <p>Specifications D = 2" DB = 21/32" LB = 4 3/8"</p> <p>Cross Reference ATRO - PL1146 Automann - TRB6185 Dayton - 321-223 Euclid - E-5275 GAFF - 13521</p> <p>Application Hendrickson E4-360, E4-400, HA-360, HA-400, Freightliner O.E.M. A16-119448, 47691</p>
<p style="text-align: center;">TX200447691P</p> <p>Urethane Torque Rod Bushing</p>  <p>Specifications D = 2" DB = 21/32" LB = 4 3/8" HD = 80</p> <p>Cross Reference ATRO - PL1146 Automann - TRB6185UB Dayton - 321-223U GAFF - 13521</p> <p>Application Hendrickson E4-360, E4-400, HA-360, HA-400, Freightliner O.E.M. A16-119448, 47691</p>	<p style="text-align: center;">TS5269</p> <p>Rubber Equalizer Bushing</p>  <p>Specifications DE = 2 3/4" DI = 1" L = 4 5/8"</p> <p>Cross Reference ATRO - CB27500 Automann - TRB5168 Dayton - 321-225 Euclid - E-5269 GAFF - 13526</p> <p>Application Hendrickson E-4 O.E.M. 47420</p>

<p style="text-align: center;">TS5270</p> <p>Rubber Equalizer Bushing</p>  <p>Specifications DE = 2 3/8" DI = 7/8" L = 3 1/8"</p> <p>Cross Reference ATRO - EB27500 Automann - TRB5911 Dayton - 323-167 Euclid - E-5270</p> <p>Application Hendrickson E-4 O.E.M. 47421</p>	<p style="text-align: center;">TS6121</p> <p>Rubber Beam End Bushing Kit</p>  <p>Specifications 1-Bushing Side 200-3558 1-Bolt 1 1/8" x 9 1/2 Grade 5 1-Nut 1-Assembly Oil 2-Plastic Washer 1-Tube Plastic</p> <p>Cross Reference ATRO - PB50-36914 Automann - TRK5912 Dayton - 334-658 Euclid - E-6121</p> <p>Application Hendrickson O.E.M. A-6914</p>
<p style="text-align: center;">TXGSK0011</p> <p>Shackle Kit with Hanger Cast, not Aluminum</p>  <p>Specifications (1) PHM-1-5023 (2) PHM-3-5521 (2) JM-091612373000 (4) Bolts 1/2 x 3 G-8 (4) Lock Nut 1/2" UNF (8) Hardened Washer 1 1/4" (2) Special Washer (2) PHM-7-BRNK</p> <p>Cross Reference Automann - M1482K Dayton - 339-272</p> <p>Application Freightliner O.E.M. 1613798000</p>	<p style="text-align: center;">TS7532</p> <p>Equalizer Kit, Rubber, Cast, 1 Hole</p>  <p>Specifications (1) PARBO PBJ-2323 (1) PHM-1-3221 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35158 Automann - EQ019 Dayton - 338-886 Euclid - E-7532</p> <p>Application Hutch O.E.M. 16158-01</p>
<p style="text-align: center;">TS9567</p> <p>Equalizer Kit, Urethane, Cast, 1 Hole</p>  <p>Specifications (1) PARBO PBJ-2323 (1) PHM-1-3221 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35158 Automann - EQ019 Dayton - 338-886 Euclid - E-9567</p> <p>Application Hutch O.E.M. 16158-01</p>	<p style="text-align: center;">TS2781A</p> <p>Equalizer Kit, Rubber, Cast, 2 Holes</p>  <p>Specifications (1) PARBO PBJ-128 (1) PHM-1-3221 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35250 Automann - EQ013 Dayton - 338-419 Euclid - E-2781A</p> <p>Application Hutch O.E.M. 750-03</p>
<p style="text-align: center;">TS7918</p> <p>Equalizer Kit, Urethane, Cast, 2 Holes</p>  <p>Specifications (1) PARBO PBJ-128P (1) PHM-1-3221 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35250 Automann - EQ013 Dayton - 338-419 Euclid - E-7918</p> <p>Application Hutch O.E.M. 750-03</p>	<p style="text-align: center;">TS9471</p> <p>Equalizer Kit, Rubber, Cast, 1 Hole</p>  <p>Specifications (1) PARBO PBJ-2323 (1) PHM-1-3222 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35001 Automann - EQ028 Dayton - 338-887 Euclid - E-9471</p> <p>Application Hutch O.E.M. 16290-01</p>

Suspension Components



















<p style="text-align: center;">TXGSK0034</p> <p>Equalizer Kit, Urethane, Cast, 1 Hole</p>  <p>Specifications (1) PARBO PBJ-2323P (1) PHM-1-3222 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35001 Automann - EQ028 Dayton - 338-887</p> <p>Application Hutch O.E.M. 16290-01</p>	<p style="text-align: center;">TS2889</p> <p>Equalizer Kit, Rubber, Cast 2 Holes</p>  <p>Specifications (1) PARBO PBJ-128 (1) PHM-1-3222 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35701 Automann - EQ014 Dayton - 338-408 Euclid - E-2889</p> <p>Application Hutch O.E.M. 704-01</p>
<p style="text-align: center;">TXGSK0036</p> <p>Equalizer Kit, Cast, Urethane, 2 Holes</p>  <p>Specifications (1) PARBO PBJ-128P (1) PHM-1-3222 42-1/2"-49" Spacing</p> <p>Cross Reference ATRO - EQ53-35701 Automann - EQ014 Dayton - 338-408</p> <p>Application Hutch O.E.M. 704-01</p>	<p style="text-align: center;">TXGSK0060</p> <p>Urethane Cab Mount Kit</p>  <p>Application Freightliner O.E.M. A18-34577-000</p>
<p style="text-align: center;">TS1856</p> <p>Hex Head Cap Screw, Grade 8</p>  <p>Specifications 1-14 x 10 Hex Cap Screw, UNF Plain Finish</p> <p>Cross Reference Automann - M5102 Dayton - 327-114 Euclid - E-1856</p> <p>Application Hendrickson O.E.M. 30550-6</p>	<p style="text-align: center;">TS1855</p> <p>Hex Head Cap Screw, Grade 8</p>  <p>Specifications 1-14 x 10 1/4 Hex Cap Screw, UNF Plain Finish</p> <p>Cross Reference Euclid - E-1855</p> <p>Application Hendrickson</p>
<p style="text-align: center;">TS9430</p> <p>Hex Head Cap Screw, Grade 8</p>  <p>Specifications 1-14 x 10 1/2 Hex Cap Screw Plain Finish</p> <p>Cross Reference Automann - M4964 Dayton - 327-115 Euclid - E-9430</p> <p>Application Hendrickson O.E.M. 30550-8</p>	<p style="text-align: center;">TS2570</p> <p>Hex Head Cap Screw, Grade 8</p>  <p>Specifications 1-14 x 11 Hex Cap Screw, UNF Plain Finish</p> <p>Cross Reference Automann - M5304 Dayton - 327-116 Euclid - E-2570</p> <p>Application Hendrickson O.E.M. 30550-10</p>

<p style="text-align: center;">TS8800</p> <p>Spring Pin Threaded With Bushing and Tapping Bolt Cap</p>  <p>Specifications 1 1/4" x 7 1/8" x 5 3/8" C/C Grinding Finish Grade 40-50 HRC</p> <p>Cross Reference Automann - M5286 Dayton - 327-490 Euclid - E-8800</p> <p>Application Mercedes, Freightliner O.E.M. 16-12302-000</p>	<p style="text-align: center;">TS8796</p> <p>Spring Pin</p>  <p>Specifications 1 1/4" OD x 6 7/8" LG x 5 3/8" C/C Grinding Finish Grade 40-50 HRC</p> <p>Cross Reference Automann - M5284 Dayton - 327-487 Euclid - E-8796</p> <p>Application Freightliner O.E.M. 16-12373-000</p>
<p style="text-align: center;">TS3761</p> <p>Spring Pin</p>  <p>Specifications 1 3/8" OD x 6 7/8" LG x 5 3/8" C/C Grinding Finish</p> <p>Cross Reference Automann - M5240 Dayton - 327-437 Euclid - E-3761</p> <p>Application Hendrickson O.E.M. 43146</p>	<p style="text-align: center;">TS5272</p> <p>Shackle Bolt</p>  <p>Specifications 7/8-9" x 4 3/16" Grade 8 Plain Finish</p> <p>Cross Reference Automann - MHS78 Dayton - 334-616 Euclid - E-5272</p> <p>Application Hendrickson O.E.M. 48728</p>
<p style="text-align: center;">TS1819</p> <p>Lock Pin Pin Only. Does not include nut or washer</p>  <p>Specifications 5/8" OD x 3 3/16" LG, Grade 25-34 HRC 1/2"-13 Thread, UNC Finish - Zinc Galv.</p> <p>Cross Reference Automann - MLP458 Dayton - 334-112 Euclid - E-1819</p> <p>Application Hendrickson O.E.M. 62-1</p>	<p style="text-align: center;">TS1830</p> <p>Saddle Stud</p>  <p>Specifications 7/8-14 x 4 13/16 UNF Grade 5 Finish - Zinc Galv.</p> <p>Cross Reference Automann - MSD460 Dayton - 334-173 Euclid - E-1830</p> <p>Application Hendrickson O.E.M. 6696</p>
<p style="text-align: center;">TS10730A</p> <p>Quick Alignment Bolt With locknut and washers</p>  <p>Specifications 7/8"-9 x 10 1/2" Grade 8. Zinc Galv Finish With Lock Nut Grade C Zinc Galv & 2 washers F436 Zinc Galv.</p> <p>Cross Reference Automann - MSH203 Dayton - 334-1579 Euclid - E-10730A</p> <p>Application Hendrickson O.E.M. S24679</p>	<p style="text-align: center;">TS6035</p> <p>Wheel Stud, Class 10.9</p>  <p>Specifications M22-.5 x 100 Grade 10.9 Plain Finish</p> <p>Cross Reference Euclid - E-6035</p> <p>Application Webb</p>

Suspension Components












<p style="text-align: center;">TS1018</p> <p>Torque Rod Bolt</p>  <p>Specifications 1 1/4 x 6 1/8 Torque Rod Bolt With 1-14 Thread Plain Finish</p> <p>Cross Reference Automann - TRS3309 Dayton - 334-566 Euclid - E-1018</p>	<p style="text-align: center;">TS1019</p> <p>Equalizer Shaft</p>  <p>Specifications 2 x 10 5/8 Equalizer Shaft With 1-14 Thread Plain Finish</p> <p>Cross Reference Automann - TRS4309HD Dayton - 334-453A Euclid - E-1019</p>
<p style="text-align: center;">TXJM09SCB260B</p> <p>Center Bolt Grade 8</p>  <p>Specifications 3/4-16 x 4 1/4 Center Bolt Grade 8 Phos And Oil Finish</p> <p>Cross Reference Automann - MSC4568 Dayton - SCB-260</p> <p>Application Pete Built O.E.M. 03-02583</p>	<p style="text-align: center;">TXJM095296</p> <p>Spring Pin Thread</p>  <p>Specifications 1 3/8-6 x 7 3/8 Thread Pin Grinding Finish</p> <p>Cross Reference Automann - M5212 Dayton - 327-434</p>
<p style="text-align: center;">TXJM095295</p> <p>Threaded Bushing</p>  <p>Specifications 1 3/4 x 4 Thread Bushing With 1 3/8-6 Thread Grinding Finish</p> <p>Cross Reference Automann - MTB160 Dayton - 322-161</p>	<p style="text-align: center;">TXPBC1001</p> <p>Rubber Hood Locating Pin</p>  <p>Specifications A = 4" D1 = 1 1/2" D2 = 3 3/16"</p> <p>Cross Reference ARTO - PL1011 Automann - M17527 Dayton - 329-129 GAFF - 11545</p> <p>Application Mack, Kenworth W-900, T-600, T-800 O.E.M. K-179-450, 25QM31</p>
<p style="text-align: center;">TS7467</p> <p>Urethane Hood Locating Pin</p>  <p>Specifications A = 4" D1 = 1 1/2" D2 = 3 3/16" HD = 80</p> <p>Cross Reference ARTO - PL1011 Automann - M17527UB Dayton - 329-129 Euclid - E-7467 GAFF - 11545</p> <p>Application Mack, Kenworth W-900, T-600, T-800 O.E.M. K-179-450, 25QM31</p>	<p style="text-align: center;">TXPBC1004</p> <p>Rubber Hood Pin</p>  <p>Specifications A = 2 7/8" DE = 4" DI = 1/2"</p> <p>Cross Reference ARTO - PL1051 Automann - M17331 Dayton - 329-199 GAFF - 11020</p> <p>Application Freightliner O.E.M. A17-10464-001</p>

<p style="text-align: center;">TS11853</p> <p>Urethane Hood Pin</p>  <p>Specifications A = 2 7/8" DE = 4" DI = 1/2" HD = 80</p> <p>Cross Reference ARTO - PL1051 Automann - M17331UB Dayton - 329-199U Euclid - E-11853 GAFF - 11020</p> <p>Application Freightliner O.E.M. A17-10464-001</p>	<p style="text-align: center;">TXPBC1007</p> <p>Rubber Hood Hook</p>  <p>Specifications L = 5 13/16"</p> <p>Cross Reference GAFF - 11543</p> <p>Application Kenworth, Dina O.E.M. K-147-842</p>
<p style="text-align: center;">TXPBC1005</p> <p>Rubber Hood Hook</p>  <p>Specifications L = 8"</p> <p>Cross Reference GAFF - 11543</p> <p>Application Kenworth O.E.M. K-147-107</p>	<p style="text-align: center;">TS7471</p> <p>Urethane Radiator and Cab Mount</p>  <p>Specifications A = 2 3/16" DE 1 = 1 1/2" DE 2 = 2 1/2" DI = 5/8" HD = 80</p> <p>Cross Reference ATRO - PL1063 Automann - M17410UB Dayton - 329-128U Euclid - E-7471 GAFF - 11537</p> <p>Application Kenworth T-800, International/Navistar O.E.M. K-066-177, M500, 462300C2 M500-70NR</p>
<p style="text-align: center;">TXPBC1061</p> <p>Rubber Dust Cover</p>  <p>Application Kenworth W-900 O.E.M. K-042-0045</p>	<p style="text-align: center;">TXPBC1069</p> <p>Rubber Cab and Radiator Mount</p>  <p>Specifications A = 1 1/4" DI = 5/8" DE 1 = 1 13/16" DE 2 = 2 15/16"</p> <p>Cross Reference ATRO - PL1015 Automann - M17412 Dayton - 329-13 GAFF - 11520</p> <p>Application Kenworth W-900, O.E.M. K-066-251, M601-70-NR</p>
<p style="text-align: center;">TXPBC17002P</p> <p>Urethane Hood Hinge Bushing</p>  <p>Specifications DE = 1 3/8" DI = 1/2" L = 2 3/16" HD = 80</p> <p>Cross Reference GAFF - 11019</p> <p>Application Freightliner O.E.M. LORJ 17002, J17002</p>	<p style="text-align: center;">TXPBC1769P</p> <p>Urethane Cab Mount</p>  <p>Specifications DE = 3 3/4" DI = 5/8" L = 3 1/8" HD = 80</p> <p>Cross Reference GAFF - 11075</p> <p>Application Freightliner, Columbia O.E.M. LORD BJ-1769</p>

Suspension Components



















<p style="text-align: center;">TXPBC503359C1</p> <p>Rubber Hood Hinge Bushing</p>  <p>Specifications DE = 1 7/16" DI = 5/8" L = 2 15/16"</p> <p>Cross Reference GAFF - 18113</p> <p>Application International/Navistar O.E.M. 503359C1</p>	<p style="text-align: center;">TXPBC516070P</p> <p>Urethane Radiator Mount</p>  <p>Specifications A = 1 3/4" DE 1 = 1 1/2" DE 2 = 3" DI = 11/16" HD = 80</p> <p>Application Freightliner O.E.M. 051 6070 000</p>
<p style="text-align: center;">TXPBC63274K</p> <p>Rubber Transmission Shifter Bushing Kit</p>  <p>Application Kenworth O.E.M. 63274</p>	<p style="text-align: center;">TXPBC63274P</p> <p>Transmission Shifter Urethane Bushing Kit</p>  <p>Application Kenworth O.E.M. 63274</p>
<p style="text-align: center;">TXPBC681890</p> <p>Rubber Lower Cab Mount</p>  <p>Specifications L = 2 9/16" DE = 3 13/16" DI = 3/4"</p> <p>Cross Reference ATRO - CM46-61890 GAFF - 11009</p> <p>Application Freightliner O.E.M. 6818900001, LORSSB3310017</p>	<p style="text-align: center;">TXPBC681891</p> <p>Rubber Upper Cab Mount</p>  <p>Specifications A = 1 5/16" DE = 3 3/4" DI = 1 3/16"</p> <p>Cross Reference ATRO - CM46-61891 GAFF - 11008</p> <p>Application Freightliner O.E.M. 6818910001, LORSSB3310017</p>
<p style="text-align: center;">TS1980</p> <p>Rubber Torque Rod Bushing</p>  <p>Specifications DE = 2" DI = 7/8" L = 3"</p> <p>Cross Reference ATRO - PL1118 Automann - TRB6004 Dayton - 321-153 Euclid - E-1980 GAFF - 15013</p> <p>Application Reyco, Hendrickson O.E.M. 09729-01, A-1712</p>	<p style="text-align: center;">TS1999A</p> <p>Rubber Equalizer Bushing</p>  <p>Specifications DB = 3/4" DE = 3 1/4" L = 3 7/8" Without Hardware</p> <p>Cross Reference ATRO - EQ53-35234 Automann - TRB5541 Dayton - 321-176 Euclid - E-1999A GAFF - 14000</p> <p>Application Hutchens H7600, H7700, CH7700, CH7800, SUDISA O.E.M. 7010-00</p>

<p style="text-align: center;">TS7452</p> <p>Urethane Equalizer Bushing</p>  <p>Specifications DB = 3/4" DE = 3 1/4" L = 3 7/8" HD = 80 Without Hardware</p> <p>Cross Reference ATRO - EQ53-35234 Automann - TRB5541UB Dayton - 321-176U Euclid - E-7452 GAFF - 14000</p> <p>Application Hutchens H7600, H7700, CH7700, CH7800, SUDISA O.E.M. 7010-00</p>	<p style="text-align: center;">TS934</p> <p>Rubber Torque Rod Bushing</p>  <p>Specifications DE = 1 15/16" DI = 1" L = 3"</p> <p>Cross Reference ATRO - PL1119 Automann - TRB6326 Dayton - 321-175 Euclid - E-934 GAFF - 14073</p> <p>Application Trailmobile, Hutchens O.E.M. 722-00, 3-12-35</p>
<p style="text-align: center;">TS7621</p> <p>Rubber Equalizer Bushing</p>  <p>Specifications DE = 3 15/32" DI = 1 1/8" L = 4"</p> <p>Cross Reference Automann - TRB5542 Dayton - 321-221 Euclid - E-7621 GAFF - 14038</p> <p>Application Hutchens 9600 O.E.M. 16146-01</p>	<p style="text-align: center;">TS8666</p> <p>Urethane Equalizer Bushing</p>  <p>Specifications DE = 3 15/32" DI = 1 1/8" L = 4" HD = 80</p> <p>Cross Reference Automann - TRB5542UB Dayton - 321-221U Euclid - E-8666 GAFF - 14038</p> <p>Application Hutchens 9600 O.E.M. 16146-01</p>
<p style="text-align: center;">TXPBM20008</p> <p>Rubber Front Motor Mount</p>  <p>Specifications A = 2 1/2" DI = 5/8" DE 1 = 1 9/16" DE 2 = 2 11/16" DE 3 = 3 1/8"</p> <p>Cross Reference ATRO - PL1104 Automann - M20309 Dayton - 329-181 GAFF - 10505</p> <p>Application Famsa Y Dina International/Navistar O.E.M. 479237C1</p>	<p style="text-align: center;">TXPBM20065017</p> <p>Rubber Motor Mount</p>  <p>Specifications A = 2 1/8" DI = 5/8" DE 1 = 1 15/32" DE 2 = 2 5/16"</p> <p>Cross Reference ATRO - PL1003 Automann - M17330 Dayton - 329-116 GAFF - 11725</p> <p>Application Freightliner O.E.M. QLORCBA2465017 CBA-2465017</p>
<p style="text-align: center;">TS7431</p> <p>Urethane Motor Mount</p>  <p>Specifications A = 2 1/8" DI = 5/8" DE 1 = 1 15/32" DE 2 = 2 5/16" HD = 80</p> <p>Cross Reference ATRO - PL1003 Automann - M17330UB Dayton - 329-116U Euclid - E-7431 GAFF - 11725</p> <p>Application Freightliner O.E.M. QLORCBA2465017 CBA-2465017</p>	<p style="text-align: center;">TXPBM20066377</p> <p>Rubber Lower Rear Motor Mount</p>  <p>Specifications WIDE = 3 1/8" L = 7 13/16" THK = 2 19/32" Without Hardware; Upper Only</p> <p>Cross Reference ATRO - MM59-62001 Automann - M17411 GAFF - 11540</p> <p>Application Kenworth T-600 O.E.M. K066-377</p>









Suspension Components











<p style="text-align: center;">TXPBM20066377P</p> <p>Urethane Lower Rear Motor Mount</p>  <p>Specifications WIDE = 3 1/8" L = 7 13/16" THK = 2 19/32" HD = 80 Without Hardware; Upper Only</p> <p>Application Kenworth T-600 O.E.M. K066-377</p> <p>Cross Reference ATRO - MM59-62001 Automann - M17411 GAFF - 11540</p>	<p style="text-align: center;">TXPBM20066421</p> <p>Rubber Upper Rear Motor Mount</p>  <p>Specifications WIDE = 2 3/4" DI = 25/32" L = 4 1/4" Without Hardware; Lower Only</p> <p>Application Kenworth T-600 O.E.M. K066-421</p> <p>Cross Reference ATRO - MM59-62001 Automann - M-17409 GAFF - 11541</p>
<p style="text-align: center;">TXPBM20066421P</p> <p>Urethane Upper Rear Motor Mount</p>  <p>Specifications WIDE = 2 3/4" L = 4 1/4" THK = 1 7/32" D = 25/32" HD = 80 Without Hardware; Lower Only</p> <p>Application Kenworth T-600 O.E.M. K066-421</p> <p>Cross Reference ATRO - MM59-62001 Automann - M-17409 GAFF - 11541</p>	<p style="text-align: center;">TXPBM20080</p> <p>Rubber Front Motor Mount</p>  <p>Specifications A = 2 3/8" DE = 3 1/4" DI = 13/16" One (1) Only</p> <p>Application Kenworth O.E.M. K066-404 Y K066-2423 K066-423</p> <p>Cross Reference ATRO - KT59-62002 GAFF - 11615</p>
<p style="text-align: center;">TXPBM20082</p> <p>Rubber Motor Mount</p>  <p>Specifications WIDE = 2" DI = 5/8" L = 5 5/8"</p> <p>Application Kenworth T-600, T-800 O.E.M. K066-282 Y K 066-320, M506</p> <p>Cross Reference ATRO - PL1012 Automann - M17404UB Dayton - 329-143U GAFF - 11539</p>	<p style="text-align: center;">TXPBM20084</p> <p>Rubber Rear Motor Mount</p>  <p>Specifications A = 3" DI = 21/32" WIDE = 1 7/16" L = 5 13/32"</p> <p>Application Freightliner O.E.M. LOR J20941 6</p> <p>Cross Reference ATRO - MM46-62416 GAFF - 11065</p>
<p style="text-align: center;">TXPBM20085P</p> <p>Urethane Front Motor Mount</p>  <p>Specifications HD = 80</p> <p>Application Freightliner, Century O.E.M. BCD-267041 1/BCD-276511</p> <p>Cross Reference ATRO - MM46-62002 GAFF - 11074</p>	<p style="text-align: center;">TXPBM20098</p> <p>Rubber Front Motor Mount</p>  <p>Specifications A = 2 5/8" DI = 3/4" DE 1 = 2" DE 2 = 2 2/8"</p> <p>Application Kenworth T-800, W-900, DINA 861 O.E.M. 066-229, M700, K066-229</p> <p>Cross Reference ATRO - PL1013 Automann - M17406 Dayton - 329-141 GAFF - 11613</p>

<p style="text-align: center;">TXPBM20091</p> <p>Rubber Rear Motor Mount</p>  <p>Specifications A = 3" DE = 3" DI = 1 1/2"</p> <p>Cross Reference ATRO - PL1048 Automann - M20304 Dayton - 329-150 GAFF - 10075</p> <p>Application International/Navistar, Freightliner, Ford, Dina, Volvo O.E.M. 503579C1, DOHZ6068B</p>	<p style="text-align: center;">TS8918</p> <p>Urethane Rear Motor Mount</p>  <p>Specifications A = 3" DE = 3" DI = 1 1/2" HD = 80</p> <p>Cross Reference ATRO - PL1048 Automann - M20304UB Dayton - 329-150U Euclid - E-8918 GAFF - 10075</p> <p>Application International/Navistar, Freightliner, Ford, Dina, Volvo O.E.M. 503579C1, DOHZ6068B</p>
<p style="text-align: center;">TXPBR51</p> <p>Rubber Fifth Wheel Pad</p>  <p>Specifications L = 10 1/4" WIDE = 3 5/8" THK = 5/8"</p> <p>Cross Reference ATRO - PL1144 GAFF - 10001</p> <p>Application DINA, Simplex O.E.M. 41111009</p>	<p style="text-align: center;">TXPBR53</p> <p>Rubber Fifth Wheel Bushing</p>  <p>Specifications DI = 1 1/8" L = 4 3/16"</p> <p>Cross Reference ATRO - PL1006 Automann - KP101 Dayton - 329-104 GAFF - 11517</p> <p>Application Holland O.E.M. XB-0011-2</p>
<p style="text-align: center;">TS8803</p> <p>Hanger Wear Pad RH</p>  <p>Cross Reference Automann - MFL106 Dayton - 334-900 Euclid - E-8803</p> <p>Application Freightliner O.E.M. 681-325-21-09</p>	<p style="text-align: center;">TS8802</p> <p>Hanger Wear Pad LH</p>  <p>Cross Reference Automann - MFL104 Dayton - 334-899 Euclid - E-8802</p> <p>Application Freightliner O.E.M. 681-325-21-09 681-325-22-09</p>
<p style="text-align: center;">TS3740</p> <p>Spring Spacer</p>  <p>Specifications THK = 1" WIDE = 3" LONG = 7 3/4"</p> <p>Cross Reference Automann - M1886 Dayton - 338-1140 Euclid - E-3740</p> <p>Application Hendrickson O.E.M. 48902-000</p>	<p style="text-align: center;">TS3741</p> <p>Spring Spacer</p>  <p>Specifications THK = 1 1/2" WIDE = 3" LONG = 7 3/4"</p> <p>Cross Reference Automann - M1888 Dayton - 338-1141 Euclid - E-3741</p> <p>Application Hendrickson O.E.M. 48903-000</p>

Suspension Components

<p style="text-align: center;">TXPHM12481</p> <p>Axle Seat Fas Airliner LL With Single/Tandem Axles</p>  <p>Specifications WH = 3" LG = 6 27/32"</p> <p>Cross Reference Automann - MFL21</p> <p>Application Freightliner O.E.M. 681-328-1626</p>	<p style="text-align: center;">TS9477</p> <p>Rigid Torque Arm With Bushing</p>  <p>Specifications C/C 19 1/4"</p> <p>Cross Reference Automann - TR005 Dayton - 345-167 Euclid - E-9477</p> <p>Application Hutch O.E.M. 11953-01, 715-00</p>
<p style="text-align: center;">TS7702</p> <p>Equalizer Shaft</p>  <p>Specifications 1 5/8" ID x 2 1/4" OD x 7" OAL</p> <p>Cross Reference Automann - TRS4017 Dayton - 334-807 Euclid - E-7702</p> <p>Application Freightliner O.E.M. 16-13643-000</p>	<p style="text-align: center;">TS3539</p> <p>Equalizer Shaft</p>  <p>Specifications 1 5/8" ID x 2 1/4" OD x 6 5/8" OAL Hole Diameter: 3/4"</p> <p>Cross Reference Automann - TRS4015 Dayton - 334-491 Euclid - E-3539</p> <p>Application Freightliner O.E.M. A16-10550-000</p>
<p style="text-align: center;">TS7700</p> <p>Equalizer</p>  <p>Application Freightliner O.E.M. 681-325-0127</p> <p>Cross Reference Automann - EQ011 Dayton - 338-1216 Euclid - E-7700</p>	<p style="text-align: center;">TS3917A</p> <p>Equalizer Wear Shoe</p>  <p>Specifications Ductile Iron Wear Shoe Holes = 1/2" Equalizer Shaft Hole = 2 3/4"</p> <p>Cross Reference Automann - EQ012 Dayton - 338-705 Euclid - E-3917A</p> <p>Application Freightliner O.E.M. 16-10175-000</p>
<p style="text-align: center;">TXPHM13221</p> <p>Equalizer Cast Without Bushing</p>  <p>Application Hutch O.E.M. 750-03</p> <p>Cross Reference Automann - EQ013 Dayton - 338-419</p>	<p style="text-align: center;">TXPHM14022</p> <p>Equalizer Hanger</p>  <p>Specifications Ductile Iron</p> <p>Cross Reference Automann - MF267 Dayton - 338-1401</p> <p>Application Freightliner O.E.M. 681-325-0005</p>

TS7571		TS8801	
Rear Clamp Mount RH/LH	Specifications Casting 45733	Rear Hanger	
	Cross Reference Automann - M1404 Euclid - E-7571		Cross Reference Automann - MFL4613 Dayton - 338-1417 Euclid - E-8801
Application Hendrickson O.E.M. 45735		Application Freightliner O.E.M. 16-12565-000	
TXPHM14040		TXPHM14058	
Rear Hanger; Cast		Rear Hanger; Cast	
	Cross Reference Automann - M1483		Cross Reference Automann -MFL4635
Application Freightliner O.E.M. A16-14019-002		Application Freightliner O.E.M. A16-14735-00	
TS10267		TS9628	
Front Hanger of Rear 21/32" Holes 1 3/8" Pin RH/LH	Specifications Casting 43180	Front Hanger Casting 46840	Specifications 21/32" Holes 1 3/8" Pin RH/LH Double Lock
	Cross Reference Automann - M1166 Dayton - 338-103 Euclid - E-10267		Cross Reference Automann - M1434 Dayton - 338-1213 Euclid - E-9628
Application Hendrickson O.E.M. 45729-1, 45729001		Application Hendrickson O.E.M. 46841-1,-2,-3, 46841001	
TXPHM14031		TS2634	
Front Hanger		Rod Spacer For 5/8" Bolts	
	Specifications Ductile Iron		
Application Freightliner O.E.M. 16-12563-000	Cross Reference Automann - MFL46433 Dayton - 338-1416	Application Hendrickson O.E.M. 22186, 22186000	Cross Reference Automann - M919 Dayton - 338-181 Euclid - E-2634

Suspension Components



TXPHM17021LH

**Spring Hanger,
Rear of Rear LH**



Application

Freightliner
O.E.M. 1615880000, 680-325-0075 LH

Cross Reference

Automann - M1717
Dayton - 338-1944

TXPHM17021RH

**Spring Hanger,
Rear of Rear, RH**



Application

Freightliner
O.E.M. 1615880000, 680-320-0175 RH

Cross Reference

Automann - M1719
Dayton - 338-1945

TXPHM17023LH

**Spring Hanger,
Front of Rear LH**



Application

Freightliner
O.E.M. 680-320-0275 LH

Cross Reference

Automann - M1705
Dayton - 338-1942

TX17023RH

**Spring Hanger,
Front of Rear RH**



Application

Freightliner
O.E.M. 680-320-0375 RH

Cross Reference

Automann - M1707
Dayton - 338-1943

TXPHM17024

Spring Seat LH



Application


Freightliner
O.E.M. 881-325-41-18

Cross Reference

Automann - MFL25

TXPHM17025

Spring Seat RH



Application

Freightliner
O.E.M. 881-325-41-19

Cross Reference

Automann - MFL24

TXPHM17031

Rear Shackle Hanger



Application

Freightliner
O.E.M. 16-14991-002

Specifications


Pin 1 1/4"

Cross Reference

Automann - M1701
Dayton - 338-1919

TXPHM17041A

Spring Seat 5.5°











Application





Freightliner
O.E.M. 1614051-000

Cross Reference

Automann - MFL23

<p align="center">TXPHM17045</p> <p>Center Hanger, Ductile Iron</p>  <p>Specifications OEM application is aluminum</p> <p>Cross Reference Dayton - 338-737</p> <p>Application Freightliner O.E.M. 16-09830-004</p>	<p align="center">TS9476</p> <p>Adjustable Torque Arm</p>  <p>Specifications 18 1/4" to 20 1/4" For Bushing 1 x 2 x 3</p> <p>Cross Reference Automann - TR004 Dayton - 345-172 Euclid - E-9476</p> <p>Application Hutch O.E.M. 16167-04</p>
<p align="center">TS10754</p> <p>Outer Alignment Collar, Eccentric, 7/8" ID</p>  <p>Specifications 4" OD</p> <p>Cross Reference Automann - MHS99 Dayton - 334-1573 Euclid - E-10754</p> <p>Application Hendrickson O.E.M. C-20925, 20925</p>	<p align="center">TS10755</p> <p>Inner Alignment Collar, Concentric, 7/8" ID</p>  <p>Specifications 4" OD</p> <p>Cross Reference Automann - MHS97 Dayton - 334-1574 Euclid - E-10755</p> <p>Application Hendrickson O.E.M. C-20924, 20924</p>
<p align="center">TS1854</p> <p>Saddle Assembly For RT, RTE, RT2, RTE2 Series</p>  <p>Cross Reference Automann - M970 Dayton - 338-144 Euclid - E-1854</p> <p>Application Hendrickson O.E.M. 31017-96, 31017096</p>	<p align="center">TS9390</p> <p>Shock Frame Hanger Assembly</p>  <p>Specifications 2 Holes 13/16" C.C 2"</p> <p>Cross Reference Euclid - E-9390</p> <p>Application Hendrickson Casting 57320 O.E.M. 57322-001</p>
<p align="center">TS2909</p> <p>U-bolt Bottom Plate, Fabricated</p>  <p>Cross Reference Automann - M8286 Dayton - 338-388 Euclid - E-2909</p> <p>Application Hutch Casting 57320 O.E.M. 57322-001</p>	<p align="center">TS2914</p> <p>Equalizer Hanger 2 Holes Undermount, Stamped</p>  <p>Cross Reference Automann - NM8296 Dayton - 338-454 Euclid - E-2914</p> <p>Application Hutch O.E.M. 7602-02</p>

Suspension Components

TS2913A	TS2908
<p>Front Hanger Stamped</p>  <p>Application Hutch O.E.M. 7601-02</p> <p>Cross Reference Automann - M8294 Dayton - 338-452 Euclid - E-2913A</p>	<p>Axle Seat, 5" Round Axles</p>  <p>Application Hutch O.E.M.</p> <p>Cross Reference Automann - M8284 Dayton - 338-409 Euclid - E-2908</p>
TXPHM7BRNK	TXGSB050900
<p>Bimetal Bushing</p>  <p>Specifications 1 1/2" OD x 1 1/4" ID x 4"</p> <p>Application Hendrickson O.E.M. 16-12399-001</p> <p>Cross Reference Automann - OGBRNK</p>	<p>Battery Bolt (Zinc Plated)</p>  <p>Specifications 5/16"-18 x 9" Long</p>

U-Bolts - Square Bend, Kits



Part Number	Dia x Width x Length	Bend	Grade	Euclid Cross
TS8253-05	3/4" x 3-9/16" x 5"	Sq Bend	Gr 8	E-UB8253-05
TS8255-05	3/4" x 4-1/16" x 5"	Sq Bend	Gr 8	E-UB8255-05
TS8254-10	3/4" x 4-1/16" x 10"	Sq Bend	Gr 8	E-UB8254-10
TS8286-134	1-1/8" x 5-3/16" x 13-1/2"	Sq Bend	Gr 8	E-UB8286-134
TS82586-154	1-1/8" x 5-3/16" x 15-1/2"	Sq Bend	Gr 8	E-UB82586-154
TS8267-153	7/8" x 5-3/16" x 15-3/8"	Sq Bend	Gr 8	E-UB8267-153
TS8287-11	1-1/8" x 5-13/16" x 11"	Sq Bend	Gr 8	E-UB8287-11
TS8287-14	1-1/8" x 5-13/16" x 14"	Sq Bend	Gr 8	E-UB8287-14

- Kit consists of 2 U-Bolt, 4 washers and 4 nuts.

U-Bolts - Square Bend, Bulk



Part Number	Dia x Width x Length	Bend	Grade
TS8253-05B	3/4" x 3-9/16" x 5"	Sq Bend	Gr 8
TS8255-05B	3/4" x 4-1/16" x 5"	Sq Bend	Gr 8
TS8254-10B	3/4" x 4-1/16" x 10"	Sq Bend	Gr 8
TS8286-134B	1-1/8" x 5-3/16" x 13-1/2"	Sq Bend	Gr 8
TS82586-154B	1-1/8" x 5-3/16" x 15-1/2"	Sq Bend	Gr 8
TS8267-153B	7/8" x 5-3/16" x 15-3/8"	Sq Bend	Gr 8
TS8287-11B	1-1/8" x 5-13/16" x 11"	Sq Bend	Gr 8
TS8287-14B	1-1/8" x 5-13/16" x 14"	Sq Bend	Gr 8

- Bulk U-bolts, no kit

U-Bolts - Semi Round, Kits



Part Number	Dia x Width x Length	Bend	Grade	Euclid Cross
TS8353-15	3/4" x 3-9/16" x 15"	Semi Round	Gr 8	E-UB8353-15
TS8354-10	3/4" x 4-1/16" x 10"	Semi Round	Gr 8	E-UB8354-10
TS8362-19F	7/8" x 3-1/16" x 19"	Semi Round	Gr 8	E-UB8362-19F
TS8363-15N	7/8"x 3 9/16" x 15 3/16"	Semi Round	Gr 8	E-UB8363-15N
TS8375-154	1" x 4-3/16" x 15-1/2"	Semi Round	Gr 8	E-UB88375-154
TS88394-162S	1-1/4" x 4-1/16" x 16-1/4"	Semi Round	Gr 8	E-UB8394-162S
TS8394-18	1-1/4" x 4-1/16" x 18"	Semi Round	Gr 8	E-UB8394-18
TS8394-192S	1-1/4" x 4-1/16" x 19-1/4"	Semi Round	Gr 8	E-UB8394-192S

• Kit consists of 2 U-Bolt, 4 washers and 4 nuts.

U-Bolts - Semi Round, Bulk



Part Number	Dia x Width x Length	Bend	Grade
TS8353-15B	3/4" x 3-9/16" x 15"	Semi Round	Gr 8
TS8354-10B	3/4" x 4-1/16" x 10"	Semi Round	Gr 8
TS8362-19FB	7/8" x 3-1/16" x 19"	Semi Round	Gr 8
TS8363-15NB	7/8"x 3 9/16" x 15 3/16"	Semi Round	Gr 8
TS8375-154B	1" x 4-3/16" x 15-1/2"	Semi Round	Gr 8
TS88394-162SB	1-1/4" x 4-1/16" x 16-1/4"	Semi Round	Gr 8
TS8394-18B	1-1/4" x 4-1/16" x 18"	Semi Round	Gr 8
TS8394-192SB	1-1/4" x 4-1/16" x 19-1/4"	Semi Round	Gr 8

• Bulk U-bolts, no kit

U-Bolts - Round, Kits



Part Number	Dia x Width x Length	Bend	Grade	Euclid Cross
TS5161-12	7/8" x 3-1/16" x 12"	Round	Gr 5	E-UB5161-12
TS5161-13	7/8" x 3-1/16" x 13"	Round	Gr 5	E-UB5161-13
TS5161-14	7/8" x 3-1/16" x 14"	Round	Gr 5	E-UB5161-14
TS5161-16	7/8" x 3-1/16" x 16"	Round	Gr 5	E-UB5161-16
TS5161-18	7/8" x 3-1/16" x 18"	Round	Gr 5	E-UB5161-18
TS5163-14	7/8" x 3-9/16" x 14"	Round	Gr 5	E-UB5163-14
TS5165-12	7/8" x 5-1/16" x 12"	Round	Gr 5	E-UB5165-12
TS5165-14	7/8" x 5-1/16" x 14"	Round	Gr 5	E-UB5165-14
TS5165-15	7/8" x 5-1/16" x 15"	Round	Gr 5	E-UB5165-15
TS5165-16	7/8" x 5-1/16" x 16"	Round	Gr 5	E-UB5165-16
TS5165-18	7/8" x 5-1/16" x 18"	Round	Gr 5	E-UB5165-18
TS8145-076	5/8" x 5-1/16" x 7-3/4"	Round	Gr 8	E-UB8145-076
TS8151-10	3/4" x 3-1/16" x 10"	Round	Gr 8	E-UB8151-10
TS8151-12	3/4" x 3-1/16" x 12"	Round	Gr 8	E-UB8151-12
TS8151-14	3/4" x 3-1/16" x 14"	Round	Gr 8	E-UB8151-14
TS8151-16	3/4" x 3-1/16" x 16"	Round	Gr 8	E-UB8151-16
TS8151-18	3/4" x 3-1/16" x 18"	Round	Gr 8	E-UB8151-18
TS8154-10	3/4" x 4-1/16" x 10"	Round	Gr 8	E-UB8154-10
TS8154-12	3/4" x 4-1/16" x 12"	Round	Gr 8	E-UB8154-12
TS8155-073	3/4" x 5-1/16" x 7-1/2"	Round	Gr 8	E-UB8155-073
TS8161-10	7/8" x 3-1/16" x 10"	Round	Gr 8	E-UB8161-10
TS8161-11	7/8" x 3-1/16" x 11"	Round	Gr 8	E-UB8161-11
TS8161-12	7/8" x 3-1/16" x 12"	Round	Gr 8	E-UB8161-12
TS8161-122	7/8" x 3-1/16" x 12-1/4"	Round	Gr 8	E-UB8161-122
TS8161-13	7/8" x 3-1/16" x 13"	Round	Gr 8	E-UB8161-13
TS8161-14	7/8" x 3-1/16" x 14"	Round	Gr 8	E-UB8161-14
TS8161-15	7/8" x 3-1/16" x 15"	Round	Gr 8	E-UB8161-15
TS8161-18	7/8" x 3-1/16" x 18"	Round	Gr 8	E-UB8161-18
TS8163-14	7/8" x 3-9/16" x 14"	Round	Gr 8	E-UB8163-14
TS8164-10	7/8" x 4-1/16" x 10"	Round	Gr 8	E-UB8164-10
TS8164-16	7/8" x 4-1/16" x 16"	Round	Gr 8	E-UB8164-16
TS8165-12	7/8" x 5-1/16" x 12"	Round	Gr 8	E-UB8165-12
TS8165-14	7/8" x 5-1/16" x 14"	Round	Gr 8	E-UB8165-14
TS8165-16	7/8" x 5-1/16" x 16"	Round	Gr 8	E-UB8165-16
TS8168-082	7/8" x 6-1/16" x 8-1/4"	Round	Gr 8	E-UB8168-082
TS8178-126	1" x 5-1/16" x 12-3/4"	Round	Gr 8	E-UB8178-126
TS8175-104	1" x 5-3/16" x 10-1/2"	Round	Gr 8	E-UB8175-104
TS8187-154	1-1/8" x 5-13/16" x 16"	Round	Gr 8	E-UB8187-154

• Kit consists of 2 U-Bolt, 4 washers and 4 nuts.

U-Bolts - Round, Bulk



Part Number	Dia x Width x Length	Bend	Grade
TS5161-12B	7/8" x 3-1/16" x 12"	Round	Gr 5
TS5161-13B	7/8" x 3-1/16" x 13"	Round	Gr 5
TS5161-14B	7/8" x 3-1/16" x 14"	Round	Gr 5
TS5161-16B	7/8" x 3-1/16" x 16"	Round	Gr 5
TS5161-18B	7/8" x 3-1/16" x 18"	Round	Gr 5
TS5163-14B	7/8" x 3-9/16" x 14"	Round	Gr 5
TS5165-12B	7/8" x 5-1/16" x 12"	Round	Gr 5
TS5165-14B	7/8" x 5-1/16" x 14"	Round	Gr 5
TS5165-15B	7/8" x 5-1/16" x 15"	Round	Gr 5
TS5165-16B	7/8" x 5-1/16" x 16"	Round	Gr 5
TS5165-18B	7/8" x 5-1/16" x 18"	Round	Gr 5
TS8145-076B	5/8" x 5-1/16" x 7-3/4"	Round	Gr 8
TS8151-10B	3/4" x 3-1/16" x 10"	Round	Gr 8
TS8151-12B	3/4" x 3-1/16" x 12"	Round	Gr 8
TS8151-14B	3/4" x 3-1/16" x 14"	Round	Gr 8
TS8151-16B	3/4" x 3-1/16" x 16"	Round	Gr 8
TS8151-18B	3/4" x 3-1/16" x 18"	Round	Gr 8
TS8154-10B	3/4" x 4-1/16" x 10"	Round	Gr 8
TS8154-12B	3/4" x 4-1/16" x 12"	Round	Gr 8
TS8155-073B	3/4" x 5-1/16" x 7-1/2"	Round	Gr 8
TS8161-10B	7/8" x 3-1/16" x 10"	Round	Gr 8
TS8161-11B	7/8" x 3-1/16" x 11"	Round	Gr 8
TS8161-12B	7/8" x 3-1/16" x 12"	Round	Gr 8
TS8161-122B	7/8" x 3-1/16" x 12-1/4"	Round	Gr 8
TS8161-13B	7/8" x 3-1/16" x 13"	Round	Gr 8
TS8161-14B	7/8" x 3-1/16" x 14"	Round	Gr 8
TS8161-15B	7/8" x 3-1/16" x 15"	Round	Gr 8
TS8161-18B	7/8" x 3-1/16" x 18"	Round	Gr 8
TS8163-14B	7/8" x 3-9/16" x 14"	Round	Gr 8
TS8164-10B	7/8" x 4-1/16" x 10"	Round	Gr 8
TS8164-16B	7/8" x 4-1/16" x 16"	Round	Gr 8
TS8165-12B	7/8" x 5-1/16" x 12"	Round	Gr 8
TS8165-14B	7/8" x 5-1/16" x 14"	Round	Gr 8
TS8165-16B	7/8" x 5-1/16" x 16"	Round	Gr 8
TS8168-082B	7/8" x 6-1/16" x 8-1/4"	Round	Gr 8
TS8178-126B	1" x 5-1/16" x 12-3/4"	Round	Gr 8
TS8175-104B	1" x 5-3/16" x 10-1/2"	Round	Gr 8
TS8187-154B	1-1/8" x 5-13/16" x 16"	Round	Gr 8


• Bulk U-bolts, no kit

End Threaded Rod With Center Line



Part Number	Dia x Length	Grade	Euclid Cross
TR102400G8CL	5/8" x 24"	Gr 8	E-TR8062-24
TR102600G8CL	5/8" x 26"	Gr 8	E-TR8062-26
TR102800G8CL	5/8" x 28"	Gr 8	E-TR8062-28
TR103000G8CL	5/8" x 30"	Gr 8	E-TR8062-30
TR103200G8CL	5/8" x 32"	Gr 8	E-TR8062-32
TR103400G8CL	5/8" x 34"	Gr 8	E-TR8062-34
TR103600G8CL	5/8" x 36"	Gr 8	E-TR8062-36
TR103800G8CL	5/8" x 38"	Gr 8	E-TR8062-38
TR104000G8CL	5/8" x 40"	Gr 8	E-TR8062-40
TR104200G8CL	5/8" x 42"	Gr 8	E-TR8062-42
TR104800G8CL	5/8" x 48"	Gr 8	E-TR8062-48
TR121200G8CL	3/4" x 12"	Gr 8	E-TR8075-12
TR121400G8CL	3/4" x 14"	Gr 8	E-TR8075-14
TR121800G8CL	3/4" x 18"	Gr 8	E-TR8075-18
TR122000G8CL	3/4" x 20"	Gr 8	E-TR8075-20
TR122200GBCL	3/4" x 22"	Gr 8	E-TR8075-22
TR122600G8CL	3/4" x 26"	Gr 8	E-TR8075-26
TR123200G8CL	3/4" x 32"	Gr 8	E-TR8075-32
TR123400G8CL	3/4" x 34"	Gr 8	E-TR8075-34
TR123600G8CL	3/4" x 36"	Gr 8	E-TR8075-36
TR123800G8CL	3/4" x 38"	Gr 8	E-TR8075-38
TR124000G8CL	3/4" x 40"	Gr 8	E-TR8075-40
TR124200G8CL	3/4" x 42"	Gr 8	E-TR8075-42
TR124400G8CL	3/4" x 44"	Gr 8	E-TR8075-44
TR121600G8CL	3/4" x 16"	Gr 8	E-TR8075-16
TR141800G8CL	3/8" x 18"	Gr 8	E-TR8087-18
TR142000G8CL	7/8" x 20"	Gr 8	E-TR8087-20
TR142200G8CL	7/8" x 22"	Gr 8	E-TR8087-22
TR142400G8CL	7/8" x 24"	Gr 8	E-TR8087-24
TR142600G8CL	7/8" x 26"	Gr 8	E-TR8087-26
TR142800G8CL	7/8" x 28"	Gr 8	E-TR8087-28
TR143000G8CL	7/8" x 30"	Gr 8	E-TR8087-30
TR143200G8CL	7/8" x 32"	Gr 8	E-TR8087-32
TR143400G8CL	7/8" x 34"	Gr 8	E-TR8087-34
TR143600G8CL	7/8" x 36"	Gr 8	E-TR8087-36
TR143800G8CL	7/8" x 38"	Gr 8	E-TR8087-38
TR144000G8CL	7/8" x 40"	Gr 8	E-TR8087-40
TR144200G8CL	7/8" x 42"	Gr 8	E-TR8087-42
TR144800G8CL	7/8" x 48"	Gr 8	E-TR8087-48
TR145400G8CL	7/8" x 54"	Gr 8	---
TR162800G8CL	1" x 28"	Gr 8	E-TR8100-28
TR163000G8CL	1" x 30"	Gr 8	---
TR163200G8CL	1" x 32"	Gr 8	E-TR8100-32
TR163600G8CL	1" x 36"	Gr 8	E-TR8100-36

End Threaded Rod With Center Line



Finish: Plain

Part Number	Dia x Length	Grade	Euclid Cross
TR081400G5CL	1/2" x 14"	Gr 5	E-TR5050-14
TR081600G5CL	1/2" x 16"	Gr 5	E-TR5050-16
TR081800G5CL	1/2" x 18"	Gr 5	E-TR5050-18
TR082000G5CL	1/2" x 20"	Gr 5	E-TR5050-20
TR082200G5CL	1/2" x 22"	Gr 5	E-TR5050-22
TR082400G5CL	1/2" x 24"	Gr 5	E-TR5050-24
TR083000G5CL	1/2" x 30"	Gr 5	E-TR5050-30
TR091400G5CL	9/16" x 14"	Gr 5	E-TR5056-14
TR091600G5CL	9/16" x 16"	Gr 5	E-TR5056-16
TR092000G5CL	9/16" x 20"	Gr 5	E-TR5056-20
TR092200G5CL	9/16" x 22"	Gr 5	E-TR5056-22

Spring Center Bolt, High Head



Finish: Black

Part Number	Dia x Length	Grade	Thread Length
TCA060600	3/8"-24 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCA060800	3/8"-24 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCA061000	3/8"-24 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCA070600	7/16"-20 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCA070800	7/16"-20 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCA071000	7/16"-20 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCA080600	1/2"-20 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCA080800	1/2"-20 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCA081000	1/2"-20 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCA090600	9/16"-18 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCA090800	9/16"-18 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCA091000	9/16"-18 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCA091200	9/16"-18 x 12"	Gr. 2	8 1/2" - 8 7/10"
TCCA-081200	1/2"-20 x 12"	Gr. 2	---

Spring Center Bolt



Finish: Black

Part Number	Dia x Length	Grade	Thread Length
TCN050300	5/16"-24 x 3"	Gr. 2	2 1/2" - 2 7/10"
TCN050308	5/16"-24 x 3-1/2"	Gr. 2	2 3/4" - 3"
TCN050400	5/16"-24 x 4"	Gr. 2	3 1/5" - 3 1/2"
TCN050500	5/16"-24 x 5"	Gr. 2	3 1/5" - 3 1/2"
TCN050600	5/16"-24 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCN050800	5/16"-24 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCN060400	3/8"-24 x 4"	Gr. 2	3 1/5" - 3 1/2"
TCN060500	3/8"-24 x 5"	Gr. 2	3 1/5" - 3 1/2"
TCN060600	3/8"-24 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCN060700	3/8"-24 x 7"	Gr. 2	---
TCN060800	3/8"-24 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCN061000	3/8"-24 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCN061200	3/8"-24 x 12"	Gr. 2	8 1/2" - 8 7/10"
TCN070400	7/16"-20 x 4"	Gr. 2	3 1/5" - 3 1/2"
TCN070500	7/16"-20 x 5"	Gr. 2	3 1/5" - 3 1/2"
TCN070600	7/16"-20 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCN070700	7/16"-20 x 7"	Gr. 2	---
TCN070800	7/16"-20 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCN071000	7/16"-20 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCN071200	7/16"-20 x 12"	Gr. 2	8 1/2" - 8 7/10"
TCN080400	1/2"-20 x 4"	Gr. 2	3 1/5" - 3 1/2"
TCN080500	1/2"-20 x 5"	Gr. 2	3 1/5" - 3 1/2"
TCN080600	1/2"-20 x 6"	Gr. 2	5 1/5" - 5 1/2"
TCN080700	1/2"-20 x 7"	Gr. 2	---
TCN080800	1/2"-20 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCN081000	1/2"-20 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCN081200	1/2"-20 x 12"	Gr. 2	8 1/2" - 8 7/10"
TCN100800	5/8"-18 x 8"	Gr. 2	6 1/5" - 6 1/2"
TCN101000	5/8"-18 x 10"	Gr. 2	6 1/5" - 6 1/2"
TCN101200	5/8"-18 x 12"	Gr. 2	8 1/2" - 8 7/10"

Cross Reference

Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TS2913A	---	M8294	338-452	E-2913A	---
TS9567	EQ53-35158	EQ019	338-886	E-9567	---
TS2781A	EQ53-35250	EQ013	338-419	E-2781A	---
TS2889	EQ53-35701	EQ014	338-408	E-2889	---
TS7532	EQ53-35158	EQ019	338-886	E-7532	---
TS7918	EQ53-35250	EQ013	338-419	E-7918	---
TS9471	EQ53-35001	EQ028	338-887	E-9471	---
TXGSK0011	---	M1482K	339-272	---	---
TXGSK0034	EQ53-35001	EQ028	338-887	---	---
TXGSK0036	EQ53-35701	EQ014	338-408	---	---
TXGSK0060	---	---	---	---	---
TS10730A	---	MHS203	334-1579	E-10730A	---
TS1819	---	MLP458	334-112	E-1819	---
TS1830	---	MSD460	334-173	E-1830	---
TS1855	---	---	---	E-1855	---
TS1856	---	M5102	327-114	E-1856	---
TS2570	---	M5304	327-116	E-2570	---
TS3761	---	M5240	327-437	E-3761	---
TS5272	---	MHS78	334-616	E-5272	---
TS6035	---	---	---	E-6035	---
TS8796	---	M5284	327-487	E-8796	---
TS8800	---	M5286	327-490	E-8800	---
TS9430	---	M4964	327-115	E-9430	---
TS11853	PL1051	M17331UB	329-199U	E-11853	11020
TS1980	PL1118	TRB6004	321-153	E-1980	15013
TS1999A	EQ53-35234	TRB5541	321-176	E-1999A	14000
TS2225	TS34000	TRB6164	321-131	E-2225	13522
TS2226	TS38000	TRB6820	321-132	E-2226	13520
TS2228	TT38000	TRB6112	321-133	E-2228	13518
TS5269	CB27500	TRB5168	321-225	E-5269	13526
TS5270	EB27500	TRB5911	323-167	E-5270	---
TS5275	PL1146	TRB6185	321-223	E-5275	13521
TS6121	PB50-36914	TRK5912	334-658	E-6121	---
TS7431	PL1003	M17330UB	329-116U	E-7431	11725
TS7452	EQ53-35234	TRB5541UB	321-176U	E-7452	14000
TS7467	PL1011	M17527UB	329-129	E-7467	11545
TS7471	PL1063	M17410UB	329-128U	E-7471	11537
TS7621	---	TRB5542	321-221	E-7621	14038
TS7639	TS38000	TRB6820	321-132U	E-7639	13520
TS8666	---	TRB5542UB	321-221U	E-8666	14038
TS8804	UB20500	MR656	RB-205	E-8804	11005

Cross Reference

Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TS8918	PL1048	M20304UB	329-150U	E-8918	10075
TS934	PL1119	TRB6326	321-175	E-934	14073
TX200447691P	PL1146	TRB6185UB	321-223U	---	13521
TXPBC1001	PL1011	M17527	329-129	---	11545
TXPBC1004	PL1051	M17331	329-199	---	11020
TXPBC1005	---	---	---	---	11543
TXPBC1007	---	---	---	---	11543
TXPBC1061	---	---	---	---	
TXPBC1069	PL1015	M17412	329-13	---	11520
TXPBC17002P	---	---	---	---	11019
TXPBC1769P	---	---	---	---	11075
TXPBC503359C1	---	---	---	---	18113
TXPBC516070P	---	---	---	---	---
TXPBC63274K	---	---	---	---	---
TXPBC63274P	---	---	---	---	---
TXPBC681890	CM46-61890	---	---	---	11009
TXPBC681891	CM46-61891	---	---	---	11008
TXPBM20008	PL1104	M20309	329-181	---	10505
TXPBM20065017	PL1003	M17330	329-116	---	11725
TXPBM20066377	MM59-62001	M17411	---	---	11540
TXPBM20066377P	MM59-62001	M17411	---	---	11540
TXPBM20066421	MM59-62001	M-17409	---	---	11541
TXPBM20066421P	MM59-62001	M-17409	---	---	11541
TXPBM20080	KT59-62002	---	---	---	11615
TXPBM20082	PL1012	M17404UB	329-143U	---	11539
TXPBM20084	MM46-62416	---	---	---	11065
TXPBM20085P	MM46-62002	---	---	---	11074
TXPBM20091	PL1048	M20304	329-150	---	10075
TXPBM20098	PL1013	M17406	329-141	---	11613
TXPBR51	PL1144	---	---	---	10001
TXPBR53	PL1006	KP101	329-104	---	11517
TS2914	---	NM8296	338-454	E-2914	---
TS10267	---	M1166	338-103	E-10267	---
TS10754	---	MHS99	334-1573	E-10754	---
TS10755	---	MHS97	334-1574	E-10755	---
TS1854	---	M970	338-144	E-1854	---
TS2634	---	M919	338-181	E-2634	---
TS2908	---	M8284	338-409	E-2908	---
TS2909	---	M8286	338-388	E-2909	---
TS3539	---	TRS4015	334-491	E-3539	---
TS3740	---	M1886	338-1140	E-3740	---

Cross Reference



Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TS3741	---	M1888	338-1141	E-3741	---
TS3917A	---	EQ012	338-705	E-3917A	---
TS7571	---	M1404	---	E-7571	---
TS7700	---	EQ011	338-1216	E-7700	---
TS7702	---	TRS4017	334-807	E-7702	---
TS8801	---	MFL4613	338-1417	E-8801	---
TS8802	---	MFL104	334-899	E-8802	---
TS8803	---	MFL106	334-900	E-8803	---
TS9390	---	---	---	E-9390	---
TS9476	---	TR004	345-172	E-9476	---
TS9477	---	TR005	345-167	E-9477	---
TS9628	---	M1434	338-1213	E-9628	---
TX17023RH	---	M1707	338-1943	---	---
TXPHM12481	---	MFL21	---	---	---
TXPHM13221	---	EQ013	338-419	---	---
TXPHM13371	---	M953	338-1834	---	---
TXPHM14022	---	MF267	338-1401	---	---
TXPHM14031	---	MFL46433	338-1416	---	---
TXPHM14040	---	M1483	---	---	---
TXPHM14058	---	MFL4635	---	---	---
TXPHM17021LH	---	M1717	338-1944	---	---
TXPHM17021RH	---	M1719	338-1945	---	---
TXPHM17023LH	---	M1705	338-1942	---	---
TXPHM17024	---	MFL25	---	---	---
TXPHM17025	---	MFL24	---	---	---
TXPHM17031	---	M1701	338-1919	---	---
TXPHM17041A	---	MFL23	---	---	---
TXPHM17045	---	---	338-737	---	---
TXPHM7BRNK	---	OGBRNK	---	---	---
TCA060600	---	---	---	---	---
TCA060800	---	---	---	---	---
TCA061000	---	---	---	---	---
TCA070600	---	---	---	---	---
TCA070800	---	---	---	---	---
TCA071000	---	---	---	---	---
TCA080600	---	---	---	---	---
TCA080800	---	---	---	---	---
TCA081000	---	---	---	---	---
TCA090600	---	---	---	---	---
TCA090800	---	---	---	---	---
TCA091000	---	---	---	---	---

Cross Reference

Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TCA091200	---	---	---	---	---
TCCA-081200	---	---	---	---	---
TCN050300	---	---	---	---	---
TCN050308	---	---	---	---	---
TCN050400	---	---	---	---	---
TCN050500	---	---	---	---	---
TCN050600	---	---	---	---	---
TCN050800	---	---	---	---	---
TCN060400	---	---	---	---	---
TCN060500	---	---	---	---	---
TCN060600	---	---	---	---	---
TCN060700	---	---	---	---	---
TCN060800	---	---	---	---	---
TCN061000	---	---	---	---	---
TCN061200	---	---	---	---	---
TCN070400	---	---	---	---	---
TCN070500	---	---	---	---	---
TCN070600	---	---	---	---	---
TCN070700	---	---	---	---	---
TCN070800	---	---	---	---	---
TCN071000	---	---	---	---	---
TCN071200	---	---	---	---	---
TCN080400	---	---	---	---	---
TCN080500	---	---	---	---	---
TCN080600	---	---	---	---	---
TCN080700	---	---	---	---	---
TCN080800	---	---	---	---	---
TCN081000	---	---	---	---	---
TCN081200	---	---	---	---	---
TCN100800	---	---	---	---	---
TCN101000	---	---	---	---	---
TCN101200	---	---	---	---	---
TR081400G5CL	---	---	---	E-TR5050-14	---
TR081600G5CL	---	---	---	E-TR5050-16	---
TR081800G5CL	---	---	---	E-TR5050-18	---
TR082000G5CL	---	---	---	E-TR5050-20	---
TR082200G5CL	---	---	---	E-TR5050-22	---
TR082400G5CL	---	---	---	E-TR5050-24	---
TR083000G5CL	---	---	---	E-TR5050-30	---
TR091400G5CL	---	---	---	E-TR5056-14	---
TR091600G5CL	---	---	---	E-TR5056-16	---

Cross Reference



Tramec Sloan Part Number	ATRO Part Number	Autmann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TR092000G5CL	---	---	---	E-TR5056-20	---
TR092200G5CL	---	---	---	E-TR5056-22	---
TR102400G8CL	---	---	---	E-TR8062-24	---
TR102600G8CL	---	---	---	E-TR8062-26	---
TR102800G8CL	---	---	---	E-TR8062-28	---
TR103000G8CL	---	---	---	E-TR8062-30	---
TR103200G8CL	---	---	---	E-TR8062-32	---
TR103400G8CL	---	---	---	E-TR8062-34	---
TR103600G8CL	---	---	---	E-TR8062-36	---
TR103800G8CL	---	---	---	E-TR8062-38	---
TR104000G8CL	---	---	---	E-TR8062-40	---
TR104200G8CL	---	---	---	E-TR8062-42	---
TR104800G8CL	---	---	---	E-TR8062-48	---
TR121200G8CL	---	---	---	E-TR8075-12	---
TR121400G8CL	---	---	---	E-TR8075-14	---
TR121800G8CL	---	---	---	E-TR8075-18	---
TR122000G8CL	---	---	---	E-TR8075-20	---
TR122200GBCL	---	---	---	E-TR8075-22	---
TR122600G8CL	---	---	---	E-TR8075-26	---
TR123200G8CL	---	---	---	E-TR8075-32	---
TR123400G8CL	---	---	---	E-TR8075-34	---
TR123600G8CL	---	---	---	E-TR8075-36	---
TR123800G8CL	---	---	---	E-TR8075-38	---
TR124000G8CL	---	---	---	E-TR8075-40	---
TR124200G8CL	---	---	---	E-TR8075-42	---
TR124400G8CL	---	---	---	E-TR8075-44	---
TR121600G8CL	---	---	---	E-TR8075-16	---
TR141800G8CL	---	---	---	E-TR8087-18	---
TR142000G8CL	---	---	---	E-TR8087-20	---
TR142200G8CL	---	---	---	E-TR8087-22	---
TR142400G8CL	---	---	---	E-TR8087-24	---
TR142600G8CL	---	---	---	E-TR8087-26	---
TR143000G8CL	---	---	---	E-TR8087-30	---
TR143200G8CL	---	---	---	E-TR8087-32	---
TR143400G8CL	---	---	---	E-TR8087-34	---
TR143600G8CL	---	---	---	E-TR8087-36	---
TR143800G8CL	---	---	---	E-TR8087-38	---
TR144000G8CL	---	---	---	E-TR8087-40	---
TR144200G8CL	---	---	---	E-TR8087-42	---
TR144800G8CL	---	---	---	E-TR8087-48	---
TR145400G8CL	---	---	---	---	---

Cross Reference

Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TR162800G8CL	---	---	---	E-TR8100-28	---
TR163000G8CL	---	---	---	---	---
TR163200G8CL	---	---	---	E-TR8100-32	---
TR163600G8CL	---	---	---	E-TR8100-36	---
TR142800G8CL	---	---	---	E-TR8087-28	---
TS5165-18	---	AUBK5165-18	---	E-UB5165-18	---
TS5165-18B	---	AUBK5165-18	---	---	---
TS5161-12	---	---	---	E-UB5161-12	---
TS5161-12B	---	---	---	---	---
TS5161-13	---	---	---	E-UB5161-13	---
TS5161-13B	---	---	---	---	---
TS5161-14	---	---	---	E-UB5161-14	---
TS5161-14B	---	---	---	---	---
TS5161-16	---	---	---	E-UB5161-16	---
TS5161-16B	---	---	---	---	---
TS5161-18	---	---	---	E-UB5161-18	---
TS5161-18B	---	---	---	---	---
TS5163-14	---	---	---	E-UB5163-14	---
TS5163-14B	---	---	---	---	---
TS5165-12	---	AUBK5165-12	---	E-UB5165-12	---
TS5165-12B	---	AUBK5165-12	---	---	---
TS5165-14	---	AUBK5165-14	---	E-UB5165-14	---
TS5165-14B	---	AUBK5165-14	---	---	---
TS5165-15	---	---	---	E-UB5165-15	---
TS5165-15B	---	---	---	---	---
TS5165-16	---	AUBK5165-16	---	E-UB5165-16	---
TS5165-16B	---	AUBK5165-16	---	---	---
TS8145-076	---	---	---	E-UB8145-076	---
TS8145-076B	---	---	---	---	---
TS8151-10	---	---	---	E-UB8151-10	---
TS8151-10B	---	---	---	---	---
TS8151-12	---	---	---	E-UB8151-12	---
TS8151-12B	---	---	---	---	---
TS8151-14	---	---	---	E-UB8151-14	---
TS8151-14B	---	---	---	---	---
TS8151-16	---	---	---	E-UB8151-16	---
TS8151-16B	---	---	---	---	---
TS8151-18	---	---	---	E-UB8151-18	---
TS8151-18B	---	---	---	---	---
TS8154-10	---	---	---	E-UB8154-10	---
TS8154-10B	---	---	---	---	---

Cross Reference



Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TS8154-12	---	---	---	E-UB8154-12	---
TS8154-12B	---	---	---	---	---
TS8155-073	---	---	---	E-UB8155-073	---
TS8155-073B	---	---	---	---	---
TS8161-10	---	---	---	E-UB8161-10	---
TS8161-10B	---	---	---	---	---
TS8161-11	---	---	---	E-UB8161-11	---
TS8161-11B	---	---	---	---	---
TS8161-12	---	---	---	E-UB8161-12	---
TS8161-122	---	---	---	E-UB8161-122	---
TS8161-122B	---	---	---	---	---
TS8161-12B	---	---	---	---	---
TS8161-13	---	---	---	E-UB8161-13	---
TS8161-13B	---	---	---	---	---
TS8161-14	---	---	---	E-UB8161-14	---
TS8161-14B	---	---	---	---	---
TS8161-15	---	---	---	E-UB8161-15	---
TS8161-15B	---	---	---	---	---
TS8161-18	---	---	---	E-UB8161-18	---
TS8161-18B	---	---	---	---	---
TS8163-14	---	---	---	E-UB8163-14	---
TS8163-14B	---	---	---	---	---
TS8164-10	---	---	---	E-UB8164-10	---
TS8164-10B	---	---	---	---	---
TS8164-16	---	---	---	E-UB8164-16	---
TS8164-16B	---	---	---	---	---
TS8165-12	---	AUBK8165-12	---	E-UB8165-12	---
TS8165-12B	---	AUBK8165-12	---	---	---
TS8165-14	---	AUBK8165-14	---	E-UB8165-14	---
TS8165-14B	---	AUBK8165-14	---	---	---
TS8165-16	---	AUBK8165-16	---	E-UB8165-16	---
TS8165-16B	---	AUBK8165-16	---	---	---
TS8168-082	---	AUBK8168-082	---	E-UB8168-082	---
TS8168-082B	---	AUBK8168-082	---	---	---
TS8175-104	---	---	---	E-UB8175-104	---
TS8175-104B	---	---	---	---	---
TS8178-126	---	---	---	E-UB8178-126	---
TS8178-126B	---	---	---	---	---
TS8187-154	---	---	---	E-UB8187-154	---
TS8187-154B	---	---	---	---	---
TS8253-05	---	---	---	E-UB8253-05	---

Cross Reference

Tramec Sloan Part Number	ATRO Part Number	Automann Part Number	Dayton Part Number	Euclid Part Number	GAFF Part Number
TS8253-05B	---	---	---	---	---
TS8254-10	---	---	---	E-UB8254-10	---
TS8254-10B	---	---	---	---	---
TS8255-05	---	AUBK8254-05	---	E-UB8255-05	---
TS8255-05B	---	AUBK8254-05	---	---	---
TS82586-154	---	---	---	E-UB82586-154	---
TS82586-154B	---	---	---	---	---
TS8267-153	---	---	---	E-UB8267-153	---
TS8267-153B	---	---	---	---	---
TS8286-134	---	---	---	E-UB8286-134	---
TS8286-134B	---	---	---	---	---
TS8287-11	---	---	---	E-UB8287-11	---
TS8287-11B	---	---	---	---	---
TS8287-14	---	---	---	E-UB8287-14	---
TS8287-14B	---	---	---	---	---
TS8353-15	---	---	---	E-UB8353-15	---
TS8353-15B	---	---	---	---	---
TS8354-10	---	---	---	E-UB8354-10	---
TS8354-10B	---	---	---	---	---
TS8362-19F	---	---	---	E-UB8362-19F	---
TS8362-19FB	---	---	---	---	---
TS8363-15N	---	---	---	E-UB8363-15N	---
TS8363-15NB	---	---	---	---	---
TS8375-154	---	---	---	E-UB88375-154	---
TS8375-154B	---	---	---	---	---
TS8394-18	---	---	---	E-UB8394-18	---
TS8394-18B	---	---	---	---	---
TS8394-192S	---	---	---	E-UB8394-192S	---
TS8394-192SB	---	---	---	---	---
TS88394-162S	---	---	---	E-UB88394-162S	---
TS88394-162SB	---	---	---	---	---
TXGSB050900	---	---	---	---	---



Phone: 616.395.5600 Toll Free Phone: 800.336.7778

Toll Free Fax: 877.286.6515

Email: customerservice@tramecsloan.com

www.tramecsloan.com

Mail: TRAMEC SLOAN LLC

Attn: Customer Service Department

534 East 48th St. Holland, MI 49423